Calendar

Environments · https://extensionkit.unitfly.com/documentation/environments-calendar/

The **Calendar** section allows users to configure calendar environments used in the **Extended Auto Properties** rules. Define **non-working days** once and reuse them across multiple rules.

1. Expand the **Calendar** section.
2. Click on **Add Calendar environment**.
3. Expand **Calendar environment [1]**.

The following fields are available by default:

- **Alias**
- **Non-working days**

Non-working days

Calendar environment > Non-working days

Define non-working days used in the environment. To configure non-working days:

1. Expand the **Non-working days** section.
2. Click on **Add Non-working day**.
3. Expand **Non-working day [1]**.

Occurrence

Calendar environment > Non-working days > Occurrence

Specifies how often the non-working day occurs. Depending on the selected occurrence, additional date configuration becomes available.

- **Weekly**: Define a fixed weekday (e.g., every Monday) in the **Weekday** field.
- **Monthly**: Recurring day each month, defined statically or retrieved from the vault.
- **Yearly**: Recurring day each year, defined statically or retrieved from the vault.
- **Once**: Single non-working day, defined statically or retrieved from the vault.
- **Holiday**: Use public holidays based on a selected country.

Type

Calendar environment > Non-working days > Date > Type

Displayed when Occurrence is Monthly/Yearly/Once.

Specifies how the non-working date is defined.

- **Static (default)**: The date is manually configured in the rule.
- **FromVault**: The date is retrieved from an object in the vault based on search conditions.

Options based on Occurrence:

If **Occurrence: Weekly**, the following is available:

- **Weekday**: Select the day of the week (e.g., Monday).

If **Occurrence: Monthly** and **Type = Static**, the following is available:

- **Type**: Choose how the date is defined:
  - **SpecificDate**: Select a fixed day of the month (default: 1).
  - **SpecificWeekday**: Choose a specific weekday and week of the month (e.g., second Tuesday).

If **Occurrence: Yearly** and **Type = Static**, the following is available:

- **Month** – Select the month (default: January).
- **Day** – Select the day of the month (default: 1).

If **Occurrence: Once** and **Type = Static**, the following is available:

- **Date** – Define the exact one-time date.

If **Occurrence: Monthly/Yearly/Once** and **Type = FromVault**, the following is available:

- **Search conditions**: Define how to locate relevant objects.
- **Date property**: Select the property on the object that holds the date.

If **Occurrence: Holiday**, the following is available:

- **Country**: Choose the country whose public holidays will be used: GB (default), HR, SL, PL.
- **Use all holidays**
  - **Yes** (default): All national holidays are included.
  - **No:** Select from a list of holidays.